MARKET FORGE MARK-2 SHELVING USES ALL AVAILABLE STORAGE SPACE*

SELF-SUPPORTING
MARK-2 SHELVING
(GALVANIZED SLATTED SHOWN)

ELIMINATES HIGH COST OF UNUSED STORAGE AREAS

- Stainless Steel or Hot Dipped Galvanized.
- Self Supporting or Special Expansion Design for Floor-To-Ceiling Installation.
- Slatted or One Piece **UNI-FORM.**
- Stationary or Mobile Sections.
- All Self-Supporting Shelving rigidly supported on exclusive wedge-type brackets and 6′0″ tubular posts.
- Can be used as Single or Multiple Sections; "L", "U" shaped or straight line arrangements.

USED EXTENSIVELY BY

HOSPITALS SUPERMARKETS RESTAURANTS
SCHOOLS HOTELS WAREHOUSES
INPLANT FEEDING MESS HALLS

FOR STORAGE OF

MEATS POTS and PANS
DAIRY PRODUCTS GLASSWARE
FRUITS and VEGETABLES CHINA
PACKAGED FOODS FROZEN FOODS

IN REFRIGERATED AND OTHER STORAGE AREAS

Stainless Steel UNI-FORM Shelving.
The Ultimate in Storage Equipment.

SHELF LENGTHS in increments of 2″, from 2′6″ to 7′6″.

SHELF WIDTHS in increments of 2″, from 12″ to 2′6″.

SHELVES EASILY REMOVABLE AND ADJUSTABLE. Infinite vertical adjustment. Additional shelves can be added at any time.
Shelving units can be used singly, as multiple section shelf racks or in corner layouts.

SELF-SUPPORTING — A rigid, self-supporting installation without floor, wall or ceiling attachments. Building damage is entirely avoided. Shipped knocked down to save shipping and storing costs and time, yet easily assembled without the use of nuts or bolts.

SANITARY, HEAVY DUTY, EASY TO CLEAN. Market Forge shelves with tubular posts clean easily and last a lifetime. All posts have stainless steel top caps and feet. Minimum of crevices and joints. Small containers easily stored on the sanitary no-tip surface without falling or spilling.

The only shelving approved by the National Sanitation Foundation, Ann Arbor, Michigan.



Galvanized Slatted Shelving. Rugged Standard of Excellence in Low Cost Shelving.

*Detailed data comparing MARK-2 shelving with shelves of limited stock sizes indicate as much as 70% increased utilization of storage areas.

Originators and manufacturers of Refrigerated Storage Racks since 1897.

MARKET FORGE COMPANY
EVERETT 49, MASSACHUSETTS

© MARKET FORGE CO. 1959

MARKET FORGE MARK-2 SHELVING

NEW UNI-FORM SHELVES

STAINLESS STEEL TYPE SD OR GALVANIZED STEEL TYPE GD

Low initial cost plus the new sanitary NO-TIP FLAT SURFACES make this design in shelving outstanding. Excellent for storage of small containers as well as for bulky food stuffs, there's never a danger of spillage. This new shelving is unsurpassed for more productive, better organized storage in refrigerated spaces and storage rooms.

CONDENSED SPECIFICATIONS — UNI-FORM Shelves

- Self-Supporting Shelving. #16 gauge type #302 stainless steel with #4 mill finish or #16 gauge galvanized steel.
- 1" wide die-formed channel shaped slots with integral 5/16" vertical flange reinforcement.
- Widths from 12" to 2'6". Lengths from 2'6" to 7'6". (Normal width is 24").
- Entire shelf perimeter flanged and hemmed to provide double pressed thickness.
- Vertically adjustable brackets. All shelves readily removable. Self-leveling floor flanges.
- Posts of stainless steel or galvanized steel.
- All Shelving approved and listed by the National Sanitation Foundation.



UNI-FORM SHELVING
STAINLESS STEEL TYPE SD, GALVANIZED STEEL TYPE GD

SLATTED SHELVES

HOT DIPPED GALVANIZED AFTER FABRICATION TYPE GS

Just a wipe with a sponge cleans the completely exposed air-circulated surfaces of Market Forge Shelving. A rigid, self-supporting installation, it need not be fastened to wall or ceiling. Constructed of steel, hot dipped galvanized after fabrication, slatted shelving is efficiently designed for every storage requirement where a quality, low cost installation is required.

CONDENSED SPECIFICATIONS — Slatted Galvanized Shelves

- 1½" x 1½" x ⅛" angle frame with 1" wide flush riveted slats spaced one inch apart.
- Widths from 12" to 2'6". Lengths from 2'6" to 7'6" (Normal width is 24").
- Vertically adjustable brackets. All shelves readily removable. Self-leveling floor flanges.
- All Shelving approved and listed by the National Sanitation Foundation.



SLATTED SHELVING
HOT DIPPED GALVANIZED TYPE GS

SELF-SUPPORTING MARK-2 SHELVING
(STAINLESS STEEL DIE-FORMED SHOWN)


STAINLESS STEEL TOP CAP
WEDGE TYPE FIT FOR RIGIDITY
OB-4 RIGHT POST BRACKET
SET SCREW
OB-5 LEFT POST BRACKET
OB-6 DOUBLE POST BRACKET
1¼" O.D. POST HIGH CARBON STEEL OR STAINLESS STEEL
STANDARD HT. 6'-0"
STAINLESS STEEL SELF-LEVELING AND ADJUSTABLE BOTTOM FLANGE

STANDARD CORNER POST CONSTRUCTION

Recommended for narrow width shelving or where shelves have an aisle on both sides. Cannot be used on hung ceilings.



ALTERNATE POST-TO-CEILING CONSTRUCTION

MARKET FORGE MOBILE SHELVING

For sanitary and heavy duty use in the loading, transporting and storing of foods, utensils, pots and pans, racks and all general storage requirements in the institutional field. Combines all the features of Market Forge self-supporting shelving with quiet mobility. Facilitates fast clearing and cleaning of refrigerated spaces and expedites transporting of food from receiving to storage areas.

BASIC SPECIFICATIONS

- 3 shelf types available:

UNI-FORM STAINLESS STEEL OR GALVANIZED UNITS

#16 gauge, one piece type 302 stainless steel or galvanized shelves. Perimeter flanged down, hemmed back full depth with horizontal flanged reinforcement. 1" slots spaced 2" on center with 5/16" vertical flanges. Stainless steel (or galvanized) posts and wedge fit brackets at shelf corners.

SLATTED GALVANIZED UNITS

1½" by 1½" by ⅛" high carbon angle frame. 1" slats flush riveted 1" apart. Malleable cast iron wedge fit brackets hot dipped galvanized. Galvanized posts.

- All mobile equipment bears the National Sanitation Foundation seal of approval.
- Tubular post construction. Easy bracket adjustment facilitates removal, addition or adjustment of shelves.
- Heavy duty special Market Forge casters — neoprene tired, 5" dia. with roller bearing wheels and ball-bearing swivels. (Two casters equipped with brakes as standard equipment).
- Bottom shelf available in solid or slotted design.
- Wide range of models and sizes available, each of which is designed to meet the specific requirements of food service handling and storage. Consult the convenient reference table below. Three, four, and five shelf models available.

AVAILABLE TYPES	
UNI-FORM STAINLESS STEEL OR GALVANIZED UNITS	
Stainless Steel Die-Formed — All Shelves slotted.	SDM
Stainless Steel Die-Formed — All Shelves Slotted except Solid Bottom Shelf.	SDMB
Galvanized Die-Formed — All Shelves Slotted.	GDM
Galvanized Die-Formed — All Shelves Slotted Except Solid Bottom Shelf.	GDMB
SLATTED GALVANIZED UNITS	
Galvanized Shelves — All Shelves Slatted.	GSM
Galvanized Shelves — All Shelves Slatted Except Solid Bottom Shelf.	GSMB

HOW TO ORDER MOBILE SHELVING

Order Mobile Shelving by combining the TYPE as shown in the left hand column with the MODEL NUMBER shown in the table below. For example, SDM-4821-4

SDM - 48 21 - 4

TYPE — LENGTH — WIDTH — SHELVES HIGH

LENGTH	WIDTH	HEIGHT	MODEL NUMBERS 3 SHELVES HIGH	4 SHELVES HIGH	5 SHELVES HIGH
36"	21"	66"	3621-3	3621-4	3621-5
48"	21"	66"	4821-3	4821-4	4821-5
	27"	66"	4827-3	4827-4	4827-5
56"	21"	66"	5621-3	5621-4	5621-5
	27"	66"	5627-3	5627-4	5627-5

OPTIONAL ACCESSORIES shall be furnished if specified: • Back stop ledges. • Revolving bumper guards on casters, non-marking gray rubber, 5" dia. steel discs with sloping upper surface. • Special length and widths available.

MARKET FORGE STORAGE RACK EQUIPMENT

MEAT HOOK RACKS



EXPANSION TYPE POST-TO-CEILING
Type G-RC (Galv.) or Type S-RC (St. St.)



WALL MOUNTED
Type G-RW (Galv.) or Type S-RW (St. St.)

RUGGEDLY BUILT TO HANDLE ALL LOADS Market Forge Meat Hook Racks are sturdily constructed of high carbon steel, hot dipped galvanized after fabrication. Also available in all stainless steel. Shipped knocked down, easily assembled.

EXPANSION TYPE POST-TO-CEILING MODELS. Sturdy, tubular posts allow easy vertical adjustment and removal of brackets and rails to meet every changing need. With the spring-loaded expansion fittings, posts are rigidly and safely expanded between floor and ceiling. Rails are available for light or heavy duty use with four sizes of tinned or stainless steel hooks. Racks are furnished with standard components of three rails. Six sizes of projection type brackets are available from 1″ to 12″.

SELF-SUPPORTING SINGLE AND DOUBLE UNITS. Where ceiling construction will not permit use of post-to-ceiling rail racks, the self-supporting meat hook racks meet all the requirements for quality, low cost installation. Rails are vertically adjustable. Welded tubular post frames with adjustable bullet feet. Standard unit 4′ long with three rails and 15 hooks.

WALL MOUNTED. Wall Mounted Meat Hook Racks. Consisting of rails and projection type brackets. Easily fastened, for efficient space-saving installation.

SELF-SUPPORTING SINGLE UNIT
Type G-R (Galv.) or Type S-R (St. St.)

SELF-SUPPORTING DOUBLE UNIT
Type G-R (Galv.) or Type S-R (St. St.)

DETAILED SPECIFICATIONS ON FOLLOWING PRODUCTS AVAILABLE UPON REQUEST



Mess Hall Tables with Swing-out seats —For heavy duty institutional use.



Stainless Steel Tray Truck. For ease in stacking and handling plastic and steel trays — wide range of sizes — 200 to 300 tray capacity.

Solid galvanized storeroom shelving, upright and counter sections.



Bins and counters for dry and bulk storage. Heavy duty, vermin proof, galvanized or stainless steel.



Platter racks. Various sizes, galvanized and stainless steel.



Cantilever type trucks. Stainless steel die-formed shelves, sanitary, rugged design.

Dunnage Racks. For storage or root vegetables, various types and sizes.

LIST OF REPRESENTATIVES

ATLANTA	J. W. Parker & Associates, 133 Luckie St. NW	Jackson 4-3643	
BALTIMORE	Robert M. Woodside, 12 East 21st Street	Belmont 5-5840	
BOSTON	Charles Kendall, 41 Appleton St., Atlantic	GR 2-6305	
CHICAGO	Arthur Hester, 666 Lake Shore Drive	SUperior 7-8478	
CINCINNATI	A. F. Dreyer, P.O. Box 34, Lockland Station	Valley 1-2071	
CLEVELAND	The Fielding-Wales Co., 1836 Euclid Ave.	Cherry 1-4895	
DENVER	McCombs Supply Co., 1819 Wazee Street	Cherry 4-6623	
DETROIT (Royal Oak)	Elmer C. Zibell, 4308 Sheffield	LI 9-4186	
HOUSTON	Allison Leonard Co., 3002 Albans Road	Madison 3-7445	
KANSAS CITY, MO.	Alvis Horn, 401 West 61st Terrace	Delmar 3-0700	
LOS ANGELES	Bernard B. Greene Co., 847 Traction Ave.	Madison 4-3878	
MIAMI	Frank Acuff, 1423 N. E. 134th Road	Plaza 9-8132	
MINNEAPOLIS	Wm. M. Ryan, 120 West 49th Street	Taylor 2-8265	
NEW YORK CITY	Herk Limperis, 527 Lexington Avenue	Plaza 3-5133	
UPPER NEW YORK	Tom Crawford, 24 Third Avenue, Auburn	Auburn 3-6651	
OKLAHOMA CITY	R. L. Williams & Co., 2200 N. W. 56th Street	Victor 2-2636	
PHILADELPHIA	E. F. Johnson Co., 5921 N. Broad Street	Livingston 8-5806	
PITTSBURGH	Harry H. Frank, Standard Life Bldg.	Court 1-5573	
PITTSBURGH	Frank Mathias, 293 Orchard Spring Road	BR 9-4500	
PORTLAND	W. H. Cress Co., 201 Concord Bldg.	Cap 8-1714	
RAPID CITY, S. D.	North Central Supply Inc., 920-12 E. St. Patrick	Fillmore 3-5486	
SAN FRANCISCO	Hughdon Equipment Co., 178 Townsend Street	Yukon 2-0888	
ST. LOUIS	Golterman & Sabo Inc., 5731 Manchester Avenue.	ST 1-1422	
ST. LOUIS	W. F. Moore Co., 8211 Delmar Blvd.	WY 1-0555	
SEATTLE	Max E. Baxter, 1300 Aurora, No. 23	EM 4-3605	
TORONTO	Gordon G. Brown & Co., 3257 Yonge Street	Hudson 7-1165	
LAVAL des RAPIDES, QUEBEC	J. R. Ron Smith, 204 59th Avenue	MU 1-1319	

Originators and manufacturers of Refrigerated Storage Racks since 1897.

MARKET FORGE COMPANY, EVERETT, MASS.

PRINTED IN U.S.A.

Form No. R-679

Digitized by:

ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL
www.apti.org

BUILDING
TECHNOLOGY
HERITAGE
LIBRARY

https://archive.org/details/buildingtechnologyheritagelibrary

From the collection of:

Carol J. Dyson, AIA